

BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

1 Basic data

Product identification			Document ID Glazed Ceramic Tiles		
Product name MARAIS LIGHT GREY	Product no/ID designation ceramic tiles with low water absorption E<0.5%		Product group group Bla EN14411 ISO13006 annex G		
New declaration ■	In the case of a revise	d declaration			
Revised declaration	Has the product been changed?	The change relates to			
	⊠ No ☐ Yes	Changed pr	product can be identified by		
Drawn up/revised on (date) 24/08/2023		Inspected without revision on (date)			
Other information:					

2 Supplier information

Company name LVG CERAMIC	SURFACES, S	3.L.	Company reg. no/DUNS no ESB 12902300			
Address Ctra. Villarreal - Onda CV 20 KM 2.5, 12540, Villarreal (Castellón) Spain			Contact person CARLOS ALBA			
			Telephone 0034 964 914 181			
Website: www.livingceramics.com			E-mail comercial@livingceramics.com			
Does the company have an enviro	nmental manage	ment system?	Yes	⊠ No		
The company possesses			Other	If "other", please specify: CCC, CSTB UPEC, CE		
Other information:						

3 Product information

Country of final manufac	cture Spain	If country cannot be stated, please state why					
Area of use	Internal and external flo	ooring and	walls				
Is there a Safety Data Sh	eet for this product?			Not relevant ■	Yes	□No	
In accordance with the re	Classificati	ion		Not rel	evant		
Chemicals Agency, pleas	Labelling						
Is the product registered	in BASTA?				Yes	⊠ No	
Has the product been eco-labelled?	Criteria not found	Yes	⊠ No	If "yes", please spe	ecify:		
Is there a Type III enviro	onmental declaration for the	product?			Yes	⊠ No	
Other information:							

4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:						
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments	
SiO2		70.65%	7631-86-9			
Al2O3		20.26%	1344-28-1			
Fe2O3		0.73%	1309-37-1			
TiO2		0.69 %	13463-67-7			

components	Substances	70 OI 9	(or anoy)	Julion	
Constituent materials/	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments
If the chemical composition of the finished built in product should					
Other information:					
Other Oxides less 0.1%		0.05 %			
P2O5		0.21 %	1314-56-3		
K2O		1.56 %	37382-43-7		
Na2O		4.99 %	1313-59-3		
MgO		0.33 %	1309-48-4		
		0.54 %	1305-78-8		

5 Production phase

Resource utilisation and environmental imp ways:	act during production of the item is re	ported in one of the following
1) Inflows (goods, intermediate goods, end outflows (emissions and residual productions)	ergy etc) for the registered product into the cts) from it, i.e. from "gate-to-gate".	ne manufacturing unit, and the
2) All inflows and outflows from the extra	ction of raw materials to finished produc	ts i.e. "cradle-to-gate".
3) Other limitation. State what:	<u>, </u>	
The report relates to unit of product sqm (m2)	Reported product The product product group	
Indicate raw materials and intermediate goo	ds used in the manufacture of the produc	t Not relevant
Raw material/intermediate goods	Quantity and unit	Comments
Clay, Sand, Feldespar, Carbonate, Kaolin	22 kg/m2	Atomized powder
Carbonate, Feldespar, Kaolin, Silicate, Alumina oxide, quartz, borate, zinc oxide, zirconium oxide	0,95 kg/m2	Glaze or Enamel
Metal oxides.	0,036 kg/m2	Pigment
Indicate recycled materials used in the manuf	acture of the product	☐ Not relevant
Type of material	Quantity and unit	Comments
Atomized powder (recycled)	20%	
Enter the energy used in the manufacture of the	e product or its component parts	☐ Not relevant
Type of energy	Quantity and unit	Comments
Electric	2,12 Kwh/m2	
Gas	18,71 Kwh/m2	
Enter the transportation used in the manufact	ure of the product or its component parts	☐ Not relevant
Type of transportation	Proportion %	Comments
Truck	100%	
Enter the emissions to air, water or soil from component parts	the manufacture of the product or its	☐ Not relevant
Type of emission	Quantity and unit	Comments
CO2e	1,46 kg/m2	
SO2	5,8*10-3 mg/m2	
HCL	3*10-3 kg/m2	
HF	2*10-3 kg/m2	

PI		8,4*10-6 kg	/m2					
Particles		3,65*10-3 kg/m2						
Enter the residual products fr	om the manufac	ture of the pro					Not relevan	nt
			Proportion Material					
Residual product	Waste code	Quantity	recycled		Energy recycled 9	6 C	omments	
Atomized Powder	101201	0,5 kg/m2	26%		iccycleu /	0 0	omments	
Atomized i owder	101201	0,5 Kg/1112	2070					
Is there a description of the data accuracy for the manufacturing data?	⊠ Yes	No	This des	"yes", please specify: nis descripcion is based on "Sectoral life-cycle ssessment of ceramic tile" published by ASCER sociation.				
Other information:								
6 Distribution of fin Does the supplier put into prace product?	etice a system for	r returning loa				relevant	Yes	⊠ No
Does the supplier put into practor the product?			ıltı-use pack	agıng		relevant	Yes	⊠ No
Does the supplier take back pa		product?				relevant	Yes	No
Is the supplier affiliated to RE	PA?				Not :	elevant	Yes	⊠ No
Other information:								
7 Construction pha	se							
Are there any special requirem product during storage?	ents for the	☐ Not relev	ant Ye	s 🗵	No If	"yes", p	olease specify	/ :
Are there any special requiremental building products because of this		☐ Not relev	ant Ye	s 🗵	No If	"yes", p	olease specify	/ :
Other information:								
8 Usage phase								
Does the product involve any sintermediate goods regarding of			Yes	⊠ N	No If	"yes", pl	lease specify	
Does the product have any spe requirements for operation?	cial energy supp	oly	Yes	⊠ N	No If "yes", please		lease specify	:
Estimated technical service life		is to be enter	ed according	to one	e of the fo	llowing		: b):
a) Reference service life estimated as being approx.	5 years	10 years	15 years	2 years		>50 ars	Comments	
b) Reference service life estim	ated to be in the	interval of	years					
Other information:								
9 Demolition								
Is the product ready for disasse apart)?	embly (taking	☐ Not rele	evant	Y	Yes 🗵	No 1	If "yes", plea	se specify:
Does the product require any s to protect health and environm demolition/disassembly?		☐ Not rele	evant	☐ Y	Yes 🗵	No I	If "yes", plea	se specify:
Other information:								
10 Waste managem	ent							
Is it possible to re-use all or paproduct?	arts of the	☐ Not rele	evant	☐ Y	Yes 🗵	No 1	If "yes", plea	se specify:

Is it possible to recycle n parts of the product?	naterials for all or	☐ Not relevant	⊠ Yes	□ No	If "yes", ple Can be use landfill	
Is it possible to recycle e of the product?	nergy for all or parts	☐ Not relevant	Yes	⊠ No	If "yes", please specify:	
Does the supplier have a recommendations for re- energy recycling or waste	use, materials or	☐ Not relevant	Yes	⊠ No	If "yes", please specify	
Enter the waste code for	the supplied product					
Is the supplied product of	classed as hazardous wa	aste?			Yes	⊠ No
If the chemical composit delivery, meaning that ar If it is unchanged, the fol	nother waste code is give	en to the finished built i t				
Enter the waste code for	the built in product					
Is the built in product cla	assed as hazardous was	te?			Yes	⊠ No
Other information:						
11 Indoor enviro	onment (To add a	new green row, select and c	opy an entire e	empty row a	nd paste it in)	
When used as intended, t	the product gives off th	e following emissions:	⊠ T emiss	-	does not hav	e any
			Method of		Comments	
Type of emission	Quantity [µg/m²h]	or [mg/m³h]	Method of	Ī	Comme	nts
Type of emission	Quantity [µg/m²h] 4 weeks	or [mg/m³h] 26 weeks	Method of measuren		Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission Can the product itself given	4 weeks			nent	Comme	nts
	4 weeks		measuren	vant	Yes	
Can the product itself give	4 weeks /e rise to any noise? U	26 weeks	Measuren Not rele	vant measureme	Yes	
Can the product itself give Value	4 weeks The rise to any noise? Use to electrical fields?	26 weeks	Not rele	vant measureme	☐ Yes	⊠ No
Can the product itself give Value Can the product give rise	4 weeks /e rise to any noise? Use to electrical fields? Use to electrical fields?	26 weeks	Not rele	vant measureme vant measureme	☐ Yes	⊠ No
Can the product itself give Value Can the product give rise Value	4 weeks The rise to any noise? Use to electrical fields? Use to magnetic fields?	26 weeks	Not rele Method of a Method of a	vant measureme vant measureme vant	Yes ent Yes ent Yes	⊠ No
Can the product itself give Value Can the product give rise Value Can the product give rise	4 weeks The rise to any noise? Use to electrical fields? Use to magnetic fields?	26 weeks	Not rele Method of r Not rele Method of r Not rele	vant measureme vant measureme vant	Yes ent Yes ent Yes	⊠ No

Appendices